SLS Select Education - Safety Data Sheet

CHE5476SE

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 2.1 Revision date: Date printed:

16 April 2021 16 September 2024

Section 1. Identification

Product Identifier CHE5476SE

> Product Name CATECHOL pure 100g.

CAS Number 120-80-9

REACH Registration No 01-2119515921-43-XXXX

C H (OH) =110.11 Molecular Formula

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 **Supplier** SLS Select Education

Unit 6. Foresters Avenue Fairham Business Park

Fairham Nottingham NG11 2AF

UNITED KINGDOM

Phone 0115 9821111 Fax 0115 9825275

Email sales@scientific-labs.com

(08:00-17:00) 0115 9821111 **Emergency Telephone**

(24hr) 112 (Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Acute toxicity, category 3 (oral) Acute toxicity, category 3 (dermal) Skin corrosion/irritation, category 2 Serious eye damage/irritation, category 1

Skin sensitization, category 1 Germ cell mutagenicity, category 2

Carcinogenicity, category 1B

H301: Toxic if swallowed.

H311: Toxic in contact with skin. H315: Causes skin irritation.

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms







Hazard Statements Toxic if swallowed. Toxic in contact with skin. Causes skin irritation. Causes serious eye damage. May cause an

allergic skin reaction. Suspected of causing genetic defects. May cause cancer.

Precautionary Statements Wear protective gloves / protective clothing / eye protection. Do not breathe fume/vapours. IF ON SKIN (or hair):

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. IF

SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Section 3. Composition

3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Pyrocatechol	120-80-9	204-427-5	01-2119515921-43-XXXX	>98%	Acute Tox. 3 (O), Acute Tox. 3 (D), Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Muta. 2, Carc. 1B

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL

ATTENTION.

Skin Remove contaminated clothing immediately avoiding contamination of unaffected areas. Swab contaminated skin

with a mixture of 70 parts polyethylene glycol and 30 parts alcohol. Alternatively use glycerol or polyethylene

glycol, or if solvents are not available flush with water for at least 10 minutes. OBTAIN MEDICAL

ATTENTION URGENTLY.

Inhalation Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If

breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery

position.

Ingestion If conscious give plenty of water to drink. Do not induce vomiting. Convulsions may occur and cause

unconsciousness. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION

URGENTLY.

Personal protection for first Wear protective gloves / eye protection.

aiders

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Water spray, alcohol resistant foam, dry powder or carbon dioxide. Use water spray to keep fire exposed

containers cool.

Unsuitable Media Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards Presents no specific fire danger.

5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate

area immediately. Do not allow general use of area until it is safe to do so.

6.2 Environmental precautions

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local

Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major Spillage If molten allow to solidify first. Contain and absorb on inert material. Transfer absorbent to salvage container for

removal. Wash area down with copious amounts of water.

Minor Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with

copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits				
			Long Term (8hr TWA)		Short Term 15min period)		
Pyrocatechol	120-80-9	>98%	5.0 ppm	23.0 mg/m-3	-	-	

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

8.2 Exposure controls

Respiratory Protection Use L.E.V. or natural ventilation to maintain vapour concentrations below exposure limits. If not, use a well

maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus.

Hand Protection Use PVC gauntlets.

Eye Protection Use chemical full face shield.

Skin Protection Wear PVC oversuit.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance White crystalline solid, becoming biege brown on exposure to light and air.

Odour Slight odour characteristic of dihydric phenols.

pH Not applicable Boiling Point 245°C Melting Point 104°C

Flash Point 131°C (Closed cup)
Upper Flammable Limit Not applicable
Lower Flammable Limit Not applicable
Auto Ignition Not applicable

Explosive Properties No. Oxidising Properties No.

Vapour Pressure Not applicable
Relative Density Not available
Water Solubility Very soluble in water.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

10.3 Possibility of hazardous No data available.

reactions

ivo data available.

10.4 Conditions to Avoid Hot surfaces, naked flames or other sources of ignition.10.5 Incompatable Materials May explode on contact with concentrated nitric acid.

10.6 Hazardous Decomposition None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide.

Products

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes The solid, molten liquid and solutions are irritating to the eyes. Damage can range from severe irritation and

corneal scarring to permanent blindness.

Skin Toxic when absorbed through skin. The solid, molten liquid and solutions will cause severe burns. Because of its

local anaesthetic effect, skin burns may be painless. Even small amounts may lead rapidly to a state of collapse. Symptoms include, profuse sweating, vomiting, cyanosis, convulsions, leading to coma and respiratory failure.

LD50 Skin 800mg/kg Rat

Ingestion The liquid is Causes severe corrosion of the mouth, throat and gastro-intestinal tract. Ingestion may prove fatal.

LD50 Oral 260mg/kg Rat

Inhalation Contact with the liquid or vapour will Exposure to vapour concentrations above the occupational exposure limits

will produce irritation of the eyes, nose, throat and respiratory tract. High concentrations of vapour may cause

digestive and nervous disorders, pulmonary oedema or liver and kidney failure.

LD50 Inhalation Not available
TCLo Not available

Carcinogenicity Not considered to be a carcinogen.

Mutagenicity No information is available.

Reproductive Effects No information is available.

Section 12. Ecological

12.1 Toxicity No information is available.

LC50 Algal Not available
LC50 Crustacea Not available
LC50 Fish Not available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential No data available.12.4 Mobility in soil No data available.

12.5 Results of PBT & vPvB

assessment

Assessment not required.

12.6 Other adverse effects

None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Dispose of in a licensed incinerator. Do not dispose of as domestic waste. Never dispose of into water courses or

sewerage systems.

Contaminated Packaging Clean out with a weak sodium hydroxide solution then wash out thoroughly with water. Use a licensed waste

Section 14. Transport Information

14.1 UN Number 2811

14.2 Proper Shipping Name Toxic solid, organic, N.O.S. (Catechol)

14.3 Transport classes

UN classification 6.1 Subsidiary hazard(s) None Transport category 2 60 ADR Hazard ID **Tunnel Restriction Code** Е Ш

14.4 Packing Group

14.5 Environment hazards See section 12.

14.6 Special precautions for

No special precautions required.

14.7 Transport in bulk Not transported in bulk.

Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Acute toxicity, category 3 (oral); Acute toxicity, category 3 (dermal); Skin corrosion/irritation, category 2; Serious

eye damage/irritation, category 1; Skin sensitization, category 1; Germ cell mutagenicity, category 2;

Carcinogenicity, category 1B

Signal word Danger

Hazard Pictograms







Hazard Statements H301, H311, H315, H318, H317, H341, H350

> Toxic if swallowed. Toxic in contact with skin. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer.

P280, P260, P303+P361+P353, P304+P340, P305+P351+P338, P301+P330+P331 **Precautionary Statements**

> Wear protective gloves / protective clothing / eye protection. Do not breathe fume/vapours. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. IF

SWALLOWED: Rinse mouth. Do NOT induce vomiting.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 2.1 (Supercedes revision 2.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 16 September 2024

Copyright: 2024 SLS Select Education